

T-MAX 7 CONTRA-ANGLES

BEST PROMO

• Extremely small dimensions (e.g. Head size Ø 8,9 x H 13,4 mm) • Solid titanium body with scratch resistant DURAGRIP® coating • Cellular glass optics • 3 years warranty • Integrated micro-filter • Clean-head-system • Ultra-push chuck



- Optic contra-angle
- 1:5 Increasing
- Head size: Ø 8,9 x H 13,4 mm
- Quattro spray
- Ceramic ball-bearings



- Optic contra-angle
- 1:1 Direct drive
- · Head size: Ø 8,9 x H 13,4 mm
- Single spray



- Optic contra-angle
- 4:1 Reduction
- Head size: Ø 8,9 x H 13,4 mm
- Single spray



- Optic titanium contra-angle
- 1:4,2 Increasing
- Two-Way spray Function
- Ceramic ball-bearings

TI-MAX 7 TURBINES

BEST PROMO

• Solid titanium body with DURAGRIP® coating • 26 W torque (Z900L)• Cellular glass optics • Very slim neck for perfect view • Ceramic ball-bearings • 2 years warranty • Clean-Head-System • Quattro-Spray

Optic turbine with standard head (Ø 12,5 × H 13,1 mm)



MODEL Z900L **REF P1111**

for NSK PTL coupling

848€*

MODEL **Z900KL REF P1113**

for KaVo® MULTIflex® LUX

954€*

MODEL Z900SL **RFF P1115**

for Sirona® quick

MODEL Z900WL **REF P1121**

for W&H® Roto Quick®

954€*

Optic turbine with mini head (Ø 10,8 × H 12,1 mm)

MODEL Z800L **REF P1110**

for NSK PTL coupling

MODEL Z800KL **REF P1112**

for KaVo® MULTIflex® LUX coupling

MODEL Z800SL **REF P1114**

for Sirona® quick coupling

MODEL Z800WL **REF P1120**

for W&H® Roto Ouick®

¹⁾ These promotion prices are also available for nano series instruments (nano95LS, nano25LS, nano15LS). Instruments from nano series are technically $identical\ with\ Ti-Max\ Z\ instruments\ but\ significantly\ shorter,\ which\ can\ bring\ benefits\ with\ regard\ to\ ergonomics.\ PLEASE\ NOTE:\ Ti-Max\ nano\ series$ instruments are compatible with the current micromotor range of NSK (NLX nano, NLX plus, M40XS, NBX, X205L, M205LG) and other micromotors available in the market which have an ISO coupling no longer than 23 mm.

S-Max M Series

S-MAX M CONTRA-ANGLES

BEST PROMO

• Stainless steel body • Cellular glass optics • 2 years warranty • Clean head system









- Optic contra-angle
- 1:5 Increasing
- Quattro spray
- Ceramic ball-bearings
- Optic contra-angle
- 1:1 Direct drive
- Single spray
- Optic contra-angle
- 4:1 Reduction
- Single spray
- Non-optic handpiece
- 1:1 Direct drive
- Single spray

S-MAX M TURBINES

BEST PROMO

• Stainless steel body • Cellular glass optics • 2 years warranty • Clean head system • Quattro-spray



Optic turbine with standard head (Ø 12,1 × H 13,3 mm)

MODEL **M900L** REF **P1254**

for NSK PTL coupling

555€*

MODEL M900KL REF P1258

for KaVo® MULTIflex® LUX coupling

596€*

MODEL M900SL REF P1262

for Sirona® quick coupling

596€*

MODEL M900WL REF P1266

for W&H® Roto Quick® coupling

596€*

Optic turbine with mini head (Ø 10,6 × H 12,4 mm)

MODEL **M800L** REF **P1253**

for NSK PTL coupling

555€*

MODEL M800KL REF P1257

for KaVo® MULTIflex® LUX coupling

596€*

MODEL M800SL REF P1261

for Sirona® quick

596€*

MODEL M800WL REF P1265

for W&H® Roto Quick® coupling

596€*

 $NOTE: Ti-Max\ Z\ and\ S-Max\ M\ series\ turbines\ are\ also\ available\ for\ Bien\ Air^{\otimes}\ couplings\ at\ the\ same\ promotion\ price.$

Ti-Max X Series

TI-MAX X CONTRA-ANGLES

BEST PROMO

• Solid titanium body with scratch resistant DURACOAT® coating • Cellular glass optics • 2 years warranty • Clean-head-system



MODEL X95L REF C600

- Optic contra-angle
- 1:5 Increasing
- Quattro spray
- Ceramic ball-bearings

823€*





MODEL X25L REF C601

- Optic contra-angle
- 1:1 Direct drive
- Single spray

603€⁷



MODEL X65L REF H273

- Optic handpiece
- 1:1 Direct drive
- Single spray

720€* ^{317€*}

Airscaler Ti-Max S970

- Titanium airscaler handpiece with DURACOAT® coating
- 3-level power-ring
- Stable torque and constant power
- Circular optic illumination
- Wide selection of tips or perio, endo and scaling as well as restoration
- Frequency of oscillation: 5.800–6.200 Hz
- Incl. 3 tips (S1, S2, S3)



MODEL Ti-Max S970L REF T1005

 ${\tt Optic\,air\,scaler\,for\,NSK\,PTL\,coupling}$

MODEL Ti-Max S970KL REF T1013

Optic Air Scaler for KaVo® MULTIflex® LUX coupling MODEL Ti-Max S970SL REF T1015

Optic Air Scaler for Sirona® quick coupling

954€*

1.056€*


1.056€*

Varios Combi Pro


BEST PROMO

COMPLETE SOLUTION FOR YOUR ORAL HYGIENE WORK FOR BOTH SUPRA- AND SUBGINGIVAL TREATMENTS





Basic set VCP with ultrasonic- and Powder Kit for supragingival use





Prophy-Mate neo

AIRPOLISHING INSTRUMENT FOR SUPRA-GINGIVAL USE

VALUE PACK P1

Prophy-Mate neo

2nd Prophy-Mate neo handpiece REF T797010, 300€*

FLASH pearl 4 x 300 g REF **Y900698**, 81€*

947€* 1.282€*

335€



MODELL FLASH pearl **REF Y900698**

- Cleaning powder based on calcium
- 4x 300g bottles



REF Y135029 for NSK PTL coupling 860€*

REF Y135030 for KaVo® MULTIflex® LUX coupling 901€*

REF **Y135031** for Sirona® quick coupling 901€*

REF Y135032 for W&H® Roto Quick® coupling 901€* REF Y135033 for Bien-Air® Unifix® coupling 901€*

Perio-Mate

AIRPOLISHING INSTRUMENT FOR SUB-GINGIVAL USE

VALUE PACK P2

Perio-Mate

2nd Perio-Mate handpiece REF **T1043010**, 352€*

Perio-Mate Powder 2 x 160 g REF **Y900938**, 65€*

1.101€*



Perio-Mate Powder

REF Y900938

- Glycine based powder
- 2 bottles of 160a



REF Y1002654 for NSK PTL coupling 1.007€*

REF Y1002655 for KaVo® MULTIflex® LUX coupling 1.060€*

REF Y1002656 for Sirona® quick coupling 1.060€*

REF Y1002657 for W&H® Roto Quick® coupling 1.060€*

REF **Y1002658** for Bien-Air® Unifix® coupling 1.060€*

Perio-Mate



Prophy-Mate neo

NSK YOUNG Smilebox

AEROSOL-REDUCED PROPHYLAXIS CONCEPT



MODEL Smilebox **REF S220001**

NSK Polishing Handpiece FX57m with a collection of YOUNG consumables



FX57m

Polishing Handpiece, stainless steel, 4:1 reducti ultra-small head for screw-in cups

Young™ Elite Original™ Cup
Outer and inner ridges. The strategically placed ridges are designed to provide exceptional stain removal, deliver better interproximal cleaning, and greatly reduce splatter. Pack of 144pc.

DryTips®, smallThe moisture absorption is far superior to cotton rolls or other absorbent pads. They don't lose moisture when handled. DryTips® facilitates working far back in the oral cavity by keeping the procedure area clean and dry.Pack of 50pc.

2Tone™ Anfärbelösung

Highlights both older and newer plaque with an advanced multi-colored formula. 2Tone™ turns newer plaque red and older plaque blue. Erythrosi free. Bottle 59ml.

Young[™] Polish Paste, Mint Less splatter, flouride free and powered by baking soda, a time-honored ingredient known for its ability to whiten, brighten and neutralize pH. Gluten-free. Pack of 125 units.

Varios 970

ULTRASONIC GENERATOR

• iPiezo engine for stable power output • Extremely slim & lightweight handpiece for all indications • Extensive tip range for a prophylaxis, periodontics, endodontics and restorative treatments • LED integrated • 2 irrigation bottles + external water



Varios 970 complete set includes:

- · Control unit
- · Handpiece incl. cord
- Foot control
- 3 scaling tips (G4, G8, G16)
- 2 irrigation bottles
- Sterilization case with 3 tip wrenches

MODEL Varios 970 LUX

REF Y1004161

2.600€

MODEL Varios 970 **REF Y1004160**

2.281€⁷

Value Pack P5-A

Varios 970 LUX

2nd Varios LEDhandpiece

3.342€*

Value Pack P5-B

Varios 970

2nd Varios non-optic handpiece

2.705€*

iProphy ERGONOMIC, WIRELESS

POLISHING
MICROMOTOR WITH
ULTRA-SMALL HEAD

MODEL **iProphy Complete Set**with iFX57 head
REF **Y1500015**

1.128€



Available as options:

MODEL **iFX57**(head for screw-in cup
REF C1102001

254€

MODEL **PR-F**(adapter for DPA
REF **H20900**1

191€



Power control at your fingertips. No foot-control required



The head can be positioned in six different angles to best suite different procedures and easily access all areas of the oral cacity.



range of speeds from 500-2,500 min⁻¹. iProphy can be used for a wide-range of procedures.



Simple head switching using the quick joint system.

As standard option, iProphy is available with iFX57 head for screw-in cups (as shown above). As an option, iProphy can be used with Disposable Prophy Angles (DPA). In such a case, we recommend to choose iProphy without head (REF Y150069; 873 €*) and the PR-F adapter. Screw-in cups and DPA are not included in the standard packages.

ORAL HYGIENE/POLISHING HANDPIECE



MODEL X57 REF C619

- Non-optic titanium contra-angle
- 16:1 Reduction
- Ultra-small head for screw-in cups and brushes 2)

380€*



MODEL FX57m REF C1054

- Non-optic stainless steel contra-angle
- 4:1 Reduction
- Ultra-small head for screw-in cups and brushes 2)

254€*

2) in combination with the snap-on adapter screw (REF C186020) these handpiecesare ready to be used in combination with snap-on

Surgic Pro

SURGICAL MICROMOTOR FOR IMPLANTOLOGY, ORAL & MAXILLOFACIAL SURGERY

- Powerful torque (up to 80 Ncm)
- Small & lightweight micro-motor
- LED illumination (32.000 LUX)
- Outstanding durability & reliability
- Micromotor autoclavable & thermo-disinfectable
- Optional: data storage and data output (USB) for documentation (Surgic Pro+ D)



Standard Sets

MODEL Surgic Pro non-optic **REF Y1003587**

Complete Set non-optic incl. contra-angle (non-dismountable) SG20 (20:1 Reduction)

MODEL Surgic Pro optic **REF Y1003586**

Complete Set with LED incl. optic contra-angle (non-dismountable) X-SG20L (20:1 Reduction)

4 330€*

MODEL Surgic Pro+ D REF Y1003585

Complete Set with LED and data-storage facility incl. dismountable optic contra-angle X-DSG20L (20:1 Reduction)

3 300€*

VALUE PACK S1-A

Surgic Pro non-optic

2nd contra-angle SG20 (20:1) Surgical handpiece SGS-ES (1:1)

4.420€*



VALUE PACK S2-A

Surgic Pro optic

2nd contra-angle X-SG20L m. L. (20:1)

Surgical handpiece X-SG65L m. L. (1:1)



VALUE PACK S3-A

Surgic Pro+ D

2nd contra-angle X-DSG20L m. L. (20:1)

Surgical handpiece X-SG65L m. L. (1:1)



VALUE PACK S1-B

Surgic Pro non-optic

Surgical speed-increasing contra-angle X-SG93 (1:3)

Surgical handpiece SGS-ES (1:1)

4 541€*

VALUE PACK S2-B

Surgic Pro optic

Surgical speed-increasing contra-angle X-SG93L m. L. (1:3)

Surgical handpiece X-SG65L m. L. (1:1)

6 198€*

1.408€

VALUE PACK S3-B

Surgic Pro+ D

Surgical speed-increasing contra-angle X-SG93L m. L. (1:3)

Surgical handpiece X-SG65L m. L. (1:1)

6 663€*

VALUE PACK S1-C

Surgic Pro non-optic

iSD900 prosthetic screw driver

4.886€*

VALUE PACK S2-C

Surgic Pro optic

iSD900 prosthetic screw driver

5.916€*

1.126€

VALUE PACK S3-C

Surgic Pro+ D

iSD900 prosthetic screw driver

6.381€*



VarioSurg3

POWERFUL ULTRASONIC SURGERY SYSTEM WITH LED

- Highest cutting efficiency
- Slim and featherlight ultrasonic handpiece
- Excessive range of tips
- Link System with Surgic Pro
- Extensive range of accessories

MODEL Vario Surg 3 REF Y1002726

Complete Set incl. Basic H-S Set and sterilization cassette

6.335€*





VarioSurg 3 incl. handpiece with LED 2nd VS3 handpiece with LED

6.179€⁷
8.244€*

SAVE **2.065€**

MODEL VarioSurg3 NON-FT³⁾
REF Y1002248

Complete Set without foot-control for SG-Link with Surgic Pro incl. Basic H-S Set and sterilization cassette

5.511€*

3) in order to link VarioSurg3 with Surgic Pro, either the SG Link Set or iCart Duo + Link cable are required. VarioSurg3 can be linked with all Surgic Pro models.





DOUBLE-LED

Including: Basis H-S tip kit and sterilization cassette





ORAL SURGERY MICROMOTOR **SYSTEM**

SurgicPro⁺ X VarioSurg 3

ULTRASONIC BONE SURGERY SYSTEM





VALUE PACK S4+

Surgic Pro+ D

Surgical handpiece (optic) X-DSG20L (20:1)

Surgical handpiece (optic) X-SG65L (1:1)

VarioSurg 3 non-FT

2nd handpiece with LED

Link Set

10.196€* 14.671€*

SAVE **4.475€**

VALUE PACK S5+

Surgic Pro+ D

Surgical handpiece (optic) X-DSG20L (20:1)

Surgical handpiece (optic) X-SG65L (1:1)

VarioSurg 3 non-FT

nd handpiece with LED

iCart Duo incl. Link-cable

4.461€

MODEL SG Link Set REF Y1002729

Allows the link of both VarioSurg3 and Surgic Pro (all models) including: link cable and rack

508€



MODELL iCart Duo **REF S9090** space-saving, stylish

mobile storage for NSK's surgical devices Surgic Pro and VarioSurg3

1.028€*







MODEL SG20 REF C1010

- Non-optic titanium contra-angle
- 20:1 Reduction

698€°



MODEL X-SG20L REF C1003

- Optic titanium contra-angle
- 20:1 Reduction

1.003€*



MODEL X-DSG20L REF C1068

- Optic titanium contra-angle
- Dismantable
- 20:1 Reduction

1.109€*

MODEL X-DSG20 REF C1067

- Non-optic titanium contra-angle
- Dismantable
- 20:1 Reduction

901€*



MODEL SGS-ES REF H264

- Microsurgical handpiece Non-optic
- 1:1 Direct drive

422€*



MODELL X-SG65L REF H1009

- Optic titanium handpiece
- 1:1 Direct drive

839€°

MODELL X-SG65 REF H1038

- Non-optic titanium handpiece
- 1:1 Direct drive

520€*



MODEL Z-SG45L REF C1107

- Optic titanium contra-angle
- 45° head angle
- Speed increasing 1:3

1.039€*

MODEL **Z-SG45** REF **C1108**

- Non-optic titanium contra-angle
- · 45° head angle
- Speed increasing 1:3

810€′

iSD900

CORDLESS PROSTHETIC SCREW DRIVER WITH TORQUE CALIBRATION SYSTEM (TCS)

- Time-saving through automatic fastening of abutment screws
- Universally applicable for all major implant systems
- Torque-Calibration-System (TCS)
- Individually adjustable torque between 10 and 40 Ncm
- Selectable speeds (15, 20, 25/min)
- Ergonomic On/Off switch lever
- User-friendly LCD display
- Advanced battery & charging technology (induction)

MODELL iSD900 **REF Y1001358**

Prosthetic screw driver

1.334€*

1586€*



Osseo 100

OSSEQINTEGRATION MEASURING DEVICE

Osseo 100 measures implant stability and osseointegration to enhance decisions about when to load the implant. Especially important when using protocols with shorter treatment time and treating higher risk patients. The uncomplicated operation that measures the Implant Stability Quotien (ISO) with the help of a MulTipeg (available for most implant types) allows the implant loading period to be planned in advance.



Osseointegration Measuring Device

3-STEP PROCEDURE



1. The MulTipeg is attached of the implant. It screws effortlessly into the implant's internal



2. Just aim for the magnet on top of the MulTipeg. Non-invasive, objective, accurate and repeatable The peg is excited by magnetic pulses and vibrate due to the stiffness in the contact area between the bone and the implant surface.



MulTipeg™



Reusable MulTipegTM

- For all major implant systems⁴⁾
- Tissue friendly, durable Titanium
- 20x autoclavable
- · Optimal platform fit
- ISQ Standard CalibratedTM



There are different MulTipegs available especially designed for diverse implant systems and models. Find a regularly updated overview on www.nsk-europe.de.

Mobile Dentistry

Dentalone

THE MOBILE DENTAL UNIT

MODEL Dentalone REF \$9070

11.329€*



What has been a neat little trolley an instant ago, now turned into a complete, fully equipped dental unit. No matter if used in elderly people's care, in schools or for humanitarian cases – Dentalone can easily be moved from one place to the other and turns into a comfortable, user-friendly dental unit within seconds. Anywhere.

Dentalone is equipped as follows:

- Brushless NLX nano micromotor with LED
- Multifunctional ultrasonic scaler Varios 170 with LED
- 3-F syringe with LED
- Saliva ejector
- · Large, backlit display
- Instrument carrier with auto-select function
- Foot-Control

VALUE PACK M1


Dentalone

M95L (red contra-angle 1:5)

M65 (handpiece 1:1)

11.320€*

SAVE 1 240£



VIVA ace

THE PORTABLE DENTAL UNIT

Only 8.5 kg

MODEL VIVA ace REF Y1003773

9.784€*



VIVA ace is equipped as follows::

- Brushless LED micromotor NLX plus with Endo functions
- Multifunctional ultrasonic scaler Varios 170 with LED
- 3-F syringe without light
- Saliva ejector
- Large control display

VALUE PACK M2

VIVA ace


M95L (red contra-angle 1:5)

→ M65 (handpiece 1:1)

9.775€*

11.015E^

SAVE **1.240€**



VIVA MATE G5

PORTABLE MICROMOTOR WITH LIGHT FOR MOBILE USE

Wherever this mobile micromotor/control unit combination is used, in mobile denstistry or in the dental lab: thanks to its strong batteries it can be used totally independent even without a plug for up to 2 hours. With a rotation spectrum of 3,000 to 30,000 rpm it can be used for all types of dental applications when used with the right handpiece or contra-angle (not included in the set).



Dental Laboratory

ULTIMATE XL

BRUSHLESS MICROMOTOR



Sets with torque handpiece (8,7 Ncm)

1.581€*

Sets with compact handpiece (6,0 Ncm)

1_324€*

- Speed range 1.000 50.000 rpm
- Lightweight, ergonomic handpiece
- Excellent, smooth running
- Patented dust protection mechanism
- Automatic speed control
- · Auto-cruise function

SETS WITH TORQUE HANDPIECE

Knee control	Foot control
unit	unit
REF Y141495	REF Y14151 3

rol Table top control unit 513 REF Y141471 Tower-type control unit REF Y141504

SETS WITH COMPACT HANDPIECE

Knee control	
unit	
REF Y141496	

Foot control unit REF Y141514 Table top control unit REF Y141472 Tower-type control unit REF Y141505

VOLVERE 17

MICROMOTOR SYSTEM



- Compact design
- Automatic speed-control
- Foot (pedal) or manual speed control
- Silent, smooth running
- Speed range 1,000 to 35,000 rpm
- Torque 4,1 Ncm





MODEL VOLVERE i7 RM REF Y1002890

Laboratory micromotor with handpiece

1.029€*

MODEL **VOLVERE i7 E**REF **Y1003523**ISO-E type micromotor,
without handpiece

923€*

PRESTO AQUA LUX

LUBE-FREE AIR-TURBINE WITH WATER COOLING AND LED

- Speed: 320.000 rpm
- · Cooling spray individually adjustable
- Minimal noise and vibration
- No lubrication required
- 360° free-swivel LED handpiece
- Unique dust-proof mechanism
- Integrated LED-light
- Adjustable light-intensity



MODEL
PRESTO AQUA LUX

REF Y1001151

Lab turbine with LED

1.853€*

MODEL

PRESTO AQUA II REF Y150023

Lab turbine without light

1.441€*







